



## PRODUCT INFORMATION SHEET

**Arlon Product Number** T1020-R00  
MOX 620

### PRODUCT DESCRIPTION

0.75 inch wide, 0.020" thick, red, rectangular cross-section, silicone self-fusing tape.  
Product is supplied in various yard long roll lengths.

#### Design / Construction

**Product:** Cured self-fusing silicone rubber  
**Cross-Section** 0.75" wide Rectangular  
**Interleave:** 0.001" Polyester film



#### Rubber Thickness

	<u>Value</u>	<u>Method</u>
<b>Width</b>	0.75"	Arlon SQA-TMS-012
<b>Overall Thickness:</b>	0.020"	Arlon SQA-TMS-012

**Product Color :** Red, Black

### TYPICAL PROPERTIES

<u>Product Properties</u>		<u>Value</u>	<u>Method</u>
<b>Tensile Strength</b>	psi	1566	Arlon SQA-TMS-009
<b>Elongation</b>	%	715	Arlon SQA-TMS-009
<b>Durometer</b>	Shore A Points	52	Arlon SQA-TMS-014
<b>Specific Gravity</b>	---	1.2	Arlon SQA-TMS-024
<b>Dielectric Strength</b>	volts/mil	694	Arlon SQA-TMS-020
<b>Bond Strength</b>	lb/in	3	Arlon SQA-TMS-015
<b>Water Absorption</b>	%	0	Arlon SQA-TMS-016

### SHELF LIFE AND RECOMENDED OPERATING TEMPERATURE

**Product Shelf Life** 12 months from DOM @ 70°F

*Note: Shelf life is defined as the duration of time for which the product will meet the physical characteristics outlined on this page.  
It does not guarantee the product's usefulness in all applications.*

**Product Operating Temperature** -60 to +400°F

*The data presented in this document represent typical values for the production material.  
The data should not be used to write, or in place of, material specifications.  
Please verify that any printed hard copy of this datasheet is current by referencing:*

Last Revised February 06, 2013

**For Pricing and Information**  
**please contact distributor:**  
**KIEPURA AVIATION CORP.**

61 Church St.

Littleton, NH 03561

Tel: 603-444-3459 / Fax: 603-444-0790

Toll Free: 1-888-522-8273 (USA/Canada)

Email: [jane@kiepuraaviation.com](mailto:jane@kiepuraaviation.com)

[www.kiepuraaviation.com](http://www.kiepuraaviation.com)